ADVERSE DRUG REACTION BULLETIN

LIPPINCOTT WILLIAMS & WILKINS

SUBJECT AND DRUG INDEXES TO ADVERSE DRUG REACTION

Nos 212–217 February 2002 – December 2002

SUBJECT INDEX

abortion, 815, 816, 817, 819, 820, 821
abruptio placentae, 821
adenocarcinoma, 816
adult respiratory distress syndrome, 832
adverse effects of cannabis, 827–830
adverse effects of laxatives, 811–814
aggression, 827
agitation, 824, 825, 831, 832
anaphylaxis, 811
anencephaly, 817
angina, 823, 825
anorexia, 811, 824
anuria, 816
anxiety, 824, 825, 827, 828
aplasia cutis, 820
aplastic anaemia, 825
arrhythmia, 817, 824, 832
arthrogryposis, 820
Asperger syndrome, 816
ataxia, 825
atrial fibrillation, 823
autism, 816

bladder
  extrophy, 820
bradycardia, 816, 820, 823, 824
bronchitis, 828
bronchospasm, 823
bullous erythema, 813

cathartic colon, 812
choanal atresia, 820
chondrodysplasia punctata, 819
clonus, 831, 834
cognitive impairment, 828
coma, 817, 832
confusion, 824, 825, 832
convulsions, 816, 817, 825
craniosynostosis, 821
Cushing's syndrome, 825

deafness, 815, 816, 819
delirium, 825
delirium tremens, 834
dementia, 824
depersonalisation, 828
depression, 816, 817, 824, 828
derealisation, 828
dermatitis, 813
diarrhoea, 812, 824, 832
disorientation, 824, 825
dissociative behaviour, 824
dry mouth, 824
dysarthria, 824, 825
dysphoria, 827
dyspnoea, 811
dysrhythmia, 823

Ebstein's anomaly, 817
eclampsia, 819
emphysema, 828

facial
  dysmorphism, 817
  oedema, 811
fatigue, 824
fetal alcohol syndrome, 816, 821
floppy infant syndrome, 816, 817
flushing, 825

growth retardation, 815, 816, 817, 820, 821

haemorrhage, 817
hallucinations, 824, 825
headache, 824
heart block, 823, 824
heat stroke, 834
hepatotoxicity, 812
holoprosencephaly, 820
hydrocephalus, 820
hyperactivity, 825
hyperbilirubinaemia, 816
hypernatraemia, 813
hyperphosphataemia, 813
hyperreflexia, 832, 834
hypertelorism, 817
hypertension, 816, 817, 819, 820, 823, 824, 825
hyperthermia, 832, 834
hypertonicity, 831
hypocalvaria, 816, 820
hypoglycaemia, 820, 824
hypokalaemia, 813

hypoplasia, 816, 819, 820
hypospadias, 817
hypotension, 816, 820, 823, 824
hypothyroidism, 820
incontinence
  faecal, 812
incoordination, 828, 832
insomnia, 827
irritability, 827

kernicterus, 816

labour
  premature, 816
lacrimation, 824
laxatives
  abuse, 811
  classes, 812
lung cancer, 829

memory loss, 824
mental retardation, 815, 816, 819, 820
microcephaly, 819
Möbius syndrome, 816, 820
mydriasis, 834
myocardial infarction, 823, 824
myoclonus, 817, 831–832, 834
myoglobinaemia, 832

National Registry for Drug-induced Ocular Side Effects, 823–824
National Teratology Information Service, 817–818, 821
nausea, 824
nephrolithiasis, 824
neural tube defects, 816
neuroleptic malignant syndrome, 834

oesophagus
  atresia, 820
  obstruction, 812
oligohydramnios, 816, 820
osteoarthropathy, 813

pallor, 824
palpitation, 823, 824, 831
paranoid ideation, 828
peritonitis, 812
phocomelia, 815
pneumonia
  lipoid, 812
polyhydramnios, 817
pregnancy
  prescribing in, 816
pseudomelanosis coli, 812
psychosis, 825, 828
pulmonary oedema, 823, 824
pyrexia, 825, 832

renal
  calculi, 824
  failure, 832
respiratory arrest, 825, 832
restlessness, 825, 827, 831

salivation, 824
schizophrenia, 828
sedation, 824
seizures, 816, 825, 832
sepsis, 834
serotonin syndrome, 831–834
shivering, 832
skeletal malformations, 821
sleep disturbance, 812
spina bifida, 817
Sternbach's criteria, 831–832
stiff-man syndrome, 834
stillbirth, 816, 817, 819
sudden infant death syndrome, 821
suicide, 817, 828
sweating, 824, 834
syncope, 823
systemic effects of ocular drugs, 823–826

tachycardia, 817, 823, 824, 829
taste disturbance, 824
teeth
  staining, 816, 819
teratogenic drugs, 815–822
thrombocytopenia, 819, 824
transient ischaemic attack, 825
tremor, 824, 827, 831, 832

urticaria, 811

vitamin
  deficiency, 813
vomiting, 824

weakness, 824
wheezing, 811

DRUG INDEX

A capital initial letter indicates a proprietary name, chemical name, or abbreviation. The symbol ® also indicates a proprietary preparation

acebutolol, 820
acetazolamide, 824
adrenaline, 824
alcohol. *See* alcohol
aminopterin, 821
amitriptyline, 817, 832
apraclonidine, 824
arachis oil, 812
aspirin, 819
atenolol, 820
atropine, 824–825

betaxolol, 823, 824
bimatoprost, 825
bisacodyl, 811, 812
bran, 811
brimonidine, 824
brinzolamide, 824
bromocriptine, 831, 832, 833
bupropion, 817
buspirone, 832

cannabis, 827–830
captopril, 820
carbamazepine, 817, 832
carbimazole, 820
carteolol, 823
casanthranol, 812
castor oil, 812
chloramphenicol, 825
chlorpromazine, 833
cholestyramine, 821
ciclosporin, 832
ciprofloxacin, 820
citalopram, 817, 832
clomipramine, 831, 832
cocaine, 821, 827, 831
cyclopentolate, 824–825
cyproheptadine, 833

danthron. *See* dantron
dantrolene, 833
dantron, 812, 813
desipramine, 832
dextrometorphan, 832
dextropropoxyphene, 832
Dialose-plus®, 812
diethylstilbestrol, 816
dioctyl sodium sulphosuccinate, 812
dipivefrin, 824
Dorbanex®, 813
dorzolamide, 824
Doxidan®, 812
drug interaction
  atropine/phenylephrine, 824
  clomipramine/SSRIs, 831
  docusates/erythromycin, 812
  fluoxetine/lithium, 831
  isphagula/lithium, 813
  phenylephrine/tropicamide, 824
  senna/metronidazole, 811

ecstasy. *See* methylenedioxymethamphetamine
epinephrine. *See* adrenaline
erythromycin, 832
ethanol, 811, 816, 821, 824, 827–828

fentanyl, 832
flecainide, 824
fluoxetine, 817, 832
fluvoxamine, 817, 832

haloperidol, 833
heparin, 819
heroin, 827
homatropine, 824, 825

imipramine, 817, 832
iproniazid, 831
isocarboxazid, 832, 833
isotretinoin, 820
ispaghula, 812

labetalol, 820
lactitol, 812
lactulose, 811–813
latanoprost, 825
L-dopa, 832
leflunomide, 821
levobunolol, 823
linezolid, 832
liquid paraffin, 812
lisinopril, 820
lithium, 813, 816, 817, 831, 832, 833

losartan, 820

mannitol, 812
methimazole, 820
methotrexate, 821
methylcellulose, 812
methyldopa, 820
methylenedioxymethamphetamine, 821, 831
methylphenidate, 832
metipranolol, 823
metoclopramide, 832
mirtazapine, 832
misoprostol, 816, 820
moclobemide, 817, 832

nefazodone, 832
nicotine, 817, 821, 827, 828
nifedipine, 820
norfloxacin, 820
nortriptyline, 832

oxcarbazepine, 817

paroxetine, 817, 832
pethidine, 831, 832
phenelzine, 817, 832
phenolphthalein, 813
phenylephrine, 824
phenylpropanolamine, 832
phenytoin, 817
phytomenadione, 819
Picolax[R], 812
pilocarpine, 824
pindolol, 820
polyethylene glycol, 812
prednisolone, 825
primidone, 817
propranolol, 820, 833
propylthiouracil, 820
pseudoephedrine, 832

risperidone, 832

selegiline, 832
senna, 811–813
sertraline, 817, 832
sodium phosphate, 813
sodium picosulfate, 811–812
sodium valproate. *See* valproic acid
sorbitol, 812–813
sterculia, 812
sumatriptan, 832

tetracycline, 819
thalidomide, 815, 816
thioridazine, 832
timolol, 820, 823–824
tramadolol, 832
tranylcypromine, 817, 832
travaprost, 825
trazodone, 832
trimethoprim, 820
tropicamide, 824, 825
tryptophan, 831–833

valproic acid, 817
valsartan, 820
venlafaxine, 832
verapamil, 820, 823, 824

warfarin, 816, 819

X-Prep[R], 811